

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
28 June 2001 (28.06.2001)

PCT

(10) International Publication Number  
**WO 01/47247 A2**

- (51) International Patent Classification<sup>7</sup>: **H04N 5/00**
- (21) International Application Number: PCT/EP00/12379
- (22) International Filing Date: 8 December 2000 (08.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
99204475.0 22 December 1999 (22.12.1999) EP
- (71) Applicant: **KONINKLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventor: **SEVAT, Leonardus, H., M.**; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (74) Agent: **GROENENDAAL, Antonius, W., M.**; Internationaal Octrooibureau B.V., Prof Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (81) Designated State (*national*): JP.
- (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- Published:**  
— *Without international search report and to be republished upon receipt of that report.*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: MULTIPLE WINDOW DISPLAY SYSTEM



(57) **Abstract:** The invention relates to a display system comprising a display device capable of displaying information in multiple windows of the display device, enabling the user to select a window for controlling a parameter of said window in response to subsequent user supplied parameter control commands. The display system according to the invention comprises two or more remote controls, and association means for associating a respective remote control with a respective window. Upon reception of a control command from a remote control, the window associated with the remote control is selected, and the control command is applied to the selected window. In this way, multiple users are enabled to independently control a window displayed on the display device.



WO 01/47247 A2































